MRA AN USIUS The Gazette of India

असावारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii) PART II—Section 3—Sub-section (ii) प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

सं. 19]

19]

No.

नई दिल्ली, बुधवार, जनवरी 4, 2012/पौष 14, 1933

NEW DELHI, WEDNESDAY, JANUARY 4, 2012/PAUSA 14, 1933

सड़क परिवहन और राजमार्ग मंत्रालय

अधिसूचना

नई दिल्ली, 4 जनवरी, 2012

का.आ. 22(अ).—मोटरयान अधिनियम, 1988 की धारा 58 की उप-धारा (3) एवं धारा 110 की उप-धारा (3)(ए) द्वारा प्रत्न शिक्तियों का पर्याग करते हुए, केन्द्र संरकार एतद्द्वारा, निम्नलिखित ट्रेलरों के हरियाणा में पंजीकरण हेतु, जिनका अधिकतम सुरक्षित तदान भार और आकार सराग अनुसूची में उल्लिक्टिन है अनुमोदन प्रदान करती है :—

अनुसूची

। टलग को किस्म : स्वतंत्र ट्रेलर

स्त्रामी

: मै. बाल रोडलाइंस पा नि गडगाँव

3. निर्माता

मै. ट्रेटेक इंजीनियम् पटनट लिमिटेड, गुडगाँव

4. देलरों की सर्वा

æmo

टेलगें का वर्णन

۶, ۶	रदाहा कम अजान		. 0			
चैसी सं.	धुरियों की	टायरों की सं.,	माप (लम्बाई 🔻	खाली वजन	पान -ाग	भाग्यक्त-
• •	संख्या	विवरण, आकार	घाषा क⊣к)	(कि.ग्रा.)	ाएक म	(कि.मी)
÷				٠	ादान भार	
	* .		<u> </u>		(कि.ग्रा.)	•
08/11/02269	6 (प्रत्येक	48 टायर, प्रत्येक	12612 मि.मि. ×	27,000	18,000	1,08,000
08/11/02270	. पंक्ति में	धुरि में 8 दाया	3 0 00 ^{दि} र्निम			
	2 धुरि)	7.50 > 20 12	1250 चिम			
		पी आर		•		
וריב <u>ו ולא</u> גע.	4 (प्रत्येक	32 टायर पत्यक	9512 मि.मि. ×	17,800	18,000	72,000
08/11/02** 3	पंक्ति में	धुरि में 8 टायर,	3000 मिमि. ×	.,		743,000
	2 धुरि)	$7.50\times20\times12$	1250 मिमि.			
	*	पी आर	• .	:."		
	•		,			

6. उपर्युक्त छूट इन शर्तों के अध्यधीन है :—

- (i) इन ट्रेलरों का प्रचालन कभी-कभार किया जाएगा।
- (ii) लो. नि. वि./स्थानीय प्राधिकारिना भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा विभिन्न सड़कों के लिए विनिर्दिष्ट भार प्रतिबंधों का अनुपालन किया जाएगा आर वाहनों को प्रत्येक बार सड़कों पर लाते समय इन प्राधिकारियों से अनुमति लो जाएगा । सुरक्षा की दृष्टि से ट्रेलरों का प्रत्येक प्रचालन राज्य/संघ शासित प्रदेश/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण के संबंधि । प्राप्तिन विभाग द्वारा अनुमोदित किया जाएगा और उस पर कड़ी निगरानी रखी जाएगी ।
- (iii) वाहन पर खतरे संबंधी सभी झंडियां और बत्तियां लगी होनी चाहिए, बेहतर यह होगा कि लदे हुए वाहन के आगे तथा पीछे एक-एक वाहन स्पष्ट रूप से यह दर्शाता हुआ चले कि भारी लदा हुआ वाहन गुजर रहा है।
- (iv) सडक की चौड़ाई में ट्रेलरों को जोड़ने की अनुमित नहीं दी जाएगी।
- (v) वाहनों के आवागमन कार्यक्रम की सूचना कम-से-कम दस दिन पूर्व संबंधित कार्यपालक इंजीनियरों को दी जानी चाहिए और उनकी म्ना र्शान कर लेनी चाहिए ।
- (vi) ट्रेलरों का अलग पंजीकरण किया जाएगा न कि संयुक्त रूप से 1
- (vii) किसी राज्य या केन्द्र शासित प्रदेश के लोक निर्माण विभाग/स्थानीय प्राधिकारियो धारतीय राष्ट्रीय राजमार पाधि (राण द्वारा) । ऐसा निर्देश दिया जाए तो लदे हुए वाहनों को उस राज्य/संघ शासित प्रदेश म सहका पर व । पुना स गृजरन को अनुमित नि होगी और ऐसे मामलों मे आवट भी को निर्दियों/नालों को पार करने के लिए स्वय व्यवस्था करना हागी ।
- (viii) बड़े आकार के कार्गों को ध्यान में रखते हुए उन्हें किसी मान विशेष पर चलने से पहले प्रत्येक जर्म नर्जायत राज्य या संघ शासित प्रदेश के प्राधिकारियों/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण की अनुमति प्राप्त करनी होगी। एस पत्यक आवागमन के लिए सर्वाधन प्राधिकारी द्वारा समय का निर्धारण किया जाना चाहिए।
- (ix) वे राज्य/संघ णासिन प्रदेश/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण के प्राधिकारियों द्वारा निर्धारित गति सीमा का पालन करेंगे।
- (x) उक्त वाहन, यातायात के सामान्य आवागमन में कोई बाधा पहुंचाए बगैर चलाया जाना चाहिए ।
- (xi) सड़क पर चलने के लिए ट्रेलरों की अधिकतम गिन दस कि.मी./घंटा से अधिक नहीं होनी चाहिए !
- (xii) ट्रेलरो की सम्पृण बाहाई में अगले एवं पिछल हिस्स पर पीले एवं काले रंग से ज़ंबरा पट्टी बनाई जाएगी और उस पर रात्रि के समय चलाने के लिए विधिवत् लिखा होना चाहिए/पार्किंग के लिए आगे और पीछे समृचित रूप से लाल बत्ती होनी चाहिए तथा दिन म दानों ओर लाल झण्डी लगाई जाएंगी, जिससे वाहन की सही-सही स्थिति का स्पष्ट रूप से पता चल सका प्रमूच अतिगक्त, माल का बाहरी भाग पूरी तरह से एक लाल परावर्तक/परावर्ती टेप से ढका होना चाहिए ताकि रात्रि के समय बाहम भाग निविध्न रूप से दिखाई दें।
- (xiii) मै. बाल रोडलाइंस प्रा. लि., गुड़गाँव, सड़कों अथवा सड़क ढांचों/अन्य सड़क प्रयोक्ताओं/व्यक्तियों का ऐसे वाहनों के प्रचालन के कारण प्रत्यक्ष अथवा अप्रत्यक्ष रूप से हुई किसी क्षति के लिए राज्य/संघ शासित प्रदेश सरकार/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण या किसी अन्य प्रभावित व्यक्ति को ऐसी राशि का भुगतान करने के लिए जिम्मेदार होगा ।
- (xiv) मै. बाल रोडलाइंस प्रा. लि., गुड़गाँव, ऐसे प्रतिबंधों का पालन करेंगे जो इस संबंध में राज्य सरकारों/संघ शासित प्रदेश/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा आदेश द्वारा विनिर्दिष्ट किए जाएं।
- (XV) मै. बाल रा उलाइम प्रा. लि., गुड़गाँव, ऐसे वाहनों का प्रत्येक बार आवागमन के संबंध में राज्य सरकार/ भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा इस संबंध में विनिर्दिष्ट ऐसे प्राधिकारी या अधिकारी को अग्रिम सूचना देगा ।
- (xvi) प्रजीकरण प्रमाण-पत्र में एक विशेष प्रविष्टि की जाए कि वाहनों के मालिक के लिए यह आवश्यक होगा कि वह प्रत्येक प्रचालन के लिए संबंधित प्राधिकारी अर्थात् राज्य सरकार/संघ शासित प्रदेश सरकार/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण से अनुमति प्राप्त करे ।
- 7. केन्द्रीय मोटरयान नियमावली, 1989 के नियम 47 के तहन निधारित शर्ते पूरी करने तथा बिक्री दस्तावेज आजक, सभी करों के भुगतान का सबूत) प्रम्तुत करने के बाद ही हरियाणा राज्य में ट्रेलरों का पर्णाकरण किया जाएगा ।

[फा. सं. आर टी-11042/155/2011-एम.वी. एल.]

नितिन र. गोकर्ण, संयुक्त सचिव

MINISTRY OF ROAD TRANSPORT AND HIGHWAYS NOTIFICATION

New Delhi, the 4th January, 2012

S.O. 22(E).—In exercise of the powers conferred by sub-section (3) of Section 58 and sub-section (3)(a) of Section 110 of the Motor Vehicles Act, 1988, the Central Government hereby accords approval to the registration in Haryana of following trailers with maximum safe laden weight and dimensions as mentioned in the Schedule appended hereto:—

SCHEDULE

Type of trailers

Independent trailers

2. Owned by

M/s. Bal Roadlines Pvt. Ltd., Gurgaon

3. Manufactured by

M/s. Tratec Engineers Private Ltd., Gurgaon

4 No. of trailers

Four

5. Description of trailer

Chassis No.	No. of Axles	No., Description, Size of tyres	Measurements (Length × Width ×	Unladen Weight	Maximum Per Axle	Weight/ Gross
			Height)	(in Kgs.)	Load (in Kgs.)	(Kgs.)
08/11/02269 08/11/02270	6 Rows (2 in line axles)	48, eight in each row, 7.50 × 20 ×	12612 mm× 3000 mm×	27,000	18,000	1,08,000
	*	12 PR	1250 mm	<u>.</u>		
08/11/02271	4 Rows (2	32 eight in each	9512 mm ×	17,800	18 000	72,000
08/11/02272	in line axles)	12 PR	3000 mm × 1250 mm	- '-		* 5

- 6. The above relaxation is subject to the conditions that:—
 - (i) The operations of the trailer shall be done only sparingly.
 - (ii) Load restrictions on various roads stipulated by the Public Works Department/I ocal Authorities/National Highway Authority of India will be observed and permission of such authorities will be obtained every time the vehicles are put on the roads. Each of such movement of the trailers will be approved and closely monitored by the concerned road authorities in State/Union Territory/National Highway Authority of India from safety point of view.
 - (iii) The vehicles should display all danger flags and lights, preferably the vehicles should be preceded and followed by a vehicle displaying prominently that a heavy load is passing.
 - (iv). Coupling of the trailers along side by side the width of the road shall not be permitted.
 - (v) The programme of the movement of the trailer should be intimated at least ten days in advance to the Executive Engineers concerned and their clearance obtained.
 - (vi) The trailer shall be registered individually and not as a combination.
 - (vii) If so directed by the Public Works Department of a State/Union Territory/National Highway Authority of India, the loaded vehicles will not be allowed to pass over the bridges on the roads in that State/Union Territory and in such cases applicants will have to make their own arrangements to cross the rivers/drains.
- (viii) They would need to obtain permission each and every time before moving on a particular route from concerned State or Union Territory Authorities/National Highway Authority of India on route, in view of the oversized cargo. For each such movement, the timing should be prescribed by the concerned authority.
- (ix) They would adhere to the speed limits prescribed by the authorities in State/Union Territory/National Highway Authority of India.
- (x) The said vehicles should be moved without any hindrance to the normal flow of traffic.

- (xi) The maximum speed of the trailers for movement on the road shall not exceed 10 kms./hour.
- (xii) The trailers shall be painted for the entire width by yellow and black zebra strips on the front and rear sides duly marked for night time driving/parking suitably by red lamps at the front and rear and red nage en both the sides during day time to indicate the extreme position of the vehicle clearly. In addition the entire overhang shall be covered with a red reflector/reflective tape to facilitate clear vision of overhang at night time.
- (xiii) M/s. Bal Roadlines Pvt. Ltd., Gurgaon, would be liable to pay such amount to the Government of State/ Union Territory/National Highway Authority of India or any other affected person where any damage is caused to the roads or road structures/other road users/person directly or indirectly due to the movement of the trailers.
- (xiv) M/s. Bal Roadlines Pvt. Ltd., Gurgaon, will observe such restrictions as the State/Union Territory Government/National Highway Authority of India may by order specify in this behalf.
- (xv) M/s. Bal Roadlines Pvt. Ltd., Gurgaon, will give advance intimation to such authority or officer specified in this behalf by the State Government/National Highway Authority of India regarding each inovement of such vehicles.
- (xvi) A specific entry in Registration Certificate is to be made that the trailer owner in case of each and every movement will be required to take the permission of concerned Authority i.e. State Government/Union Territory Government/National Highway Authority of India.
- 7. The trailer shall be registered in the State of Haryana only subject to fulfilment of conditions laid down under Rule 47 of the Central Motor Vehicles Rules, 1989 and production of sale documents (invoice, proof of payment of all taxes).

[F. No. KI-11042/155/2011-MVL]

NITINR, GOKARN JL, Secy.